

SIKLE SCD™
Art bamboo life

PIANOPLYWOOD

GARDEN SERIES

CHINESE BUILDING MATERIAL EXPERT, ONE STOP SERVICE PROVIDER

PIANOPLYWOOD

WA BUINESS

WWW.PIANOPLYWOOD.COM

ABOUT US



PIANOPLYWOOD

Our company's main products include Plywood, Film-faced Plywood, LVL, 3PLY, Blockboard, H20 Beam, Timber Wall panel, etc.

Applications: housing construction, building construction, bridge engineering, cement building formwork, home decoration and furniture, shopping shelves, packaging materials, handicraft supplies, container floors, stage formwork, outdoor construction, etc.

Eco-Friendly and Renewable

Resistance to Decay and Mold

Water Bolied Proof

10-year warranty

CE

ISO 9001

SIKLE SCD™
Art bamboo life



GARDEN SERIES

PRODUCT SPECIFICATION INTRODUCTION



CONTENTS

01 / Fence

02 / Artificial Grass Accessories

03 / Grass Stone Isolation

04 / Root Controller and Chassis

05 / Fence Piece

06 / Tree Grate/Cloth

07 / Ground Cloth

08 / Tree Planting Bag

09 / Tarracota & Ceramic

10 / Pebble Stone

11 / Water Fountain

12 / Pergola

13 / Interlocking Wood Flooring

14 / SPC Flooring

15 / Work Gloves

BAMBOO FENCE

SIKLE SCD™
Art bamboo life



Solid Bamboo Fence



Reed Fence



Sikle Fence



Willow Fence



Frame Bamboo Fence



Bark Fence



Split Bamboo Fence



Pressure Treated Fence




Carbonization Wooden Fence



Expandable fence



Raffia Grass Woven Bamboo Mattress



Half bamboo fence

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com



Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD





WA BUINESS

REED FENCING

REED FENCING APPLICATION







REED FENCING PACKING






Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



ARTIFICIAL GRASS ACCESSORIES

ARTIFICIAL GRASS
WPC FLOORING TILE





ARTIFICIAL GRASS
GROUND CLOTH





Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD


WA BUINESS



ARTIFICIAL GRASS ACCESSORIES


ARTIFICIAL GRASS
ARTIFICIAL GRASSWPC FLOORING TILE







ARTIFICIAL GRASS
PARAMETER WALL



Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



GRASS STONE ISOLATION

GRASS STONE ISOLATION
PRODUCT DETAILS


SIKLE SCD™
Art bamboo life

Material:HDPE Virgin Material
Available Width:10cm , 12cm , 15cm , 20cm, 25cm
Hole Diameter:10mm ,12mm ,20mm
Length:50m, 100m
Color:Black, GREEN,OEM
MOQ:1*20FCL
Application:For Garden, Park, Landscape, Green Belt, etc





Product Features
1),Weatherproof, reusable
2),Green belt, reduction of grass color, modeling is not abrupt
3),Neatly dividing gravel, lawn, flowers, beautifying the garden
4),Separate different plants for better growth and development
5),High toughness, foldable at will, high degree of freedom in design
6),Simple and convenient operation, remarkable effect of grass and stone isolation
7),Environmentally friendly PE material, non-toxic and tasteless, corrosion-resistant, cold-resistant and heat-resistant, durable



Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



GRASS STONE ISOLATION

GRASS STONE ISOLATION
PRODUCT ADVANTAGES


SIKLE SCD™
Art bamboo life



Easy to operate and connect
round holes designed for the connections and 10 buttons per roll are provided.



soft and flexible
Strong and soft even bend the belt 180 degrees.
No trace after recover it.




Fresh PE material, recyclable



Good toughness, easy to fold



Careful workmanship, strict quality control



More colors are availbale

Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



GRASS STONE ISOLATION

GRASS STONE ISOLATION
PRODUCT APPLICATION

SIKLE SCD™
Art bamboo life

(1) Construction of characteristic gardening projects in areas such as sidewalks and commercial streets.
(2) Construction of green decoration projects for private residences and villa courtyards.
(3) Construction of high-quality gardening projects in communities and parks.



Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



ROOT CONTROLLER AND CHASSIS

ROOT CONTROLLER AND CHASSIS
PRODUCT DETAILS

SIKLE SCD™
Art bamboo life

Material:HDPE Virgin Material
Available Width:10cm , 12cm , 15cm , 20cm, 25cm
Hole Diameter:10mm ,12mm ,20mm
Length:50m, 100m
Color:Black, GREEN,OEM
MOQ:1*20FCL
Application:For Garden, Park, Landscape, Green Belt, etc



Product Features

1),Weatherproof, reusable
2),Green belt, reduction of grass color, modeling is not abrupt
3),Neatly dividing gravel, lawn, flowers, beautifying the garden
4),Separate different plants for better growth and development
5),High toughness, foldable at will, high degree of freedom in design
6),Simple and convenient operation, remarkable effect of grass and stone isolation
7),Environmentally friendly PE material, non-toxic and tasteless, corrosion-resistant, cold-resistant and heat-resistant, durable



Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS




ROOT CONTROLLER AND CHASSIS

ROOT CONTROLLER AND CHASSIS
PRODUCT DETAILS

SIKLE SCD™
Art bamboo life

Root controller		
Length	25/50M	Colour :Black
Width	0.3-1M	
Thickness	6MM	



Root controller chassis		
Diameter(cm)	Weight(kg)	Colour
20	0.07	Black
30	0.13	
40	0.222	
50	0.4	
60	0.52	





Raises your plant off the floor,prevent the wood floor from recurring moisture and damage.



Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



ROOT CONTROLLER AND CHASSIS


ROOT CONTROLLER AND CHASSIS
PRODUCT APPLICATION

SIKLE SCD™
Art bamboo life









Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com


PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



FENCE PIECE

SIKLE SCD™
Art bamboo life

PVC flower bed fence spot flower bed fence lawn fence green belt fence garden plastic fence.




	30CM	40CM	50CM	60CM
Colour	White/Green			
guardrail KG/M	1.35	1.45	1.625	1.7
Column KG/PC	0.66	0.72	0.82	0.92

The steps for assemblling PVC Fence:



Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China


PIANOPLYWOOD WA BUINESS



FENCE PIECE

FENCE PIECE
PRODUCT APPLICATION

SIKLE SCD™
Art bamboo life





Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS




TREE GRATE


SIKLE SCD™
Art bamboo life

Feature：

1. Installing a tree grate in the tree pool can protect the roots of trees, reduce soil erosion, and promote the growth of trees.
2. The tree box can make the tree pit parallel to the sidewalk, reduce the hidden danger of passers-by being tripped, and beautify the urban environment.
3. It is convenient for artificial pouring, improving labor efficiency and saving water resources.
4. Reduce the cost of tree maintenance, and solve the problems of affecting the city appearance and polluting the environment due to excavation.

Size	Colour	Weight
410*410*25MM	Green/Yellow	0.45kg
200*200*30mm	Green/Black	0.27kg





Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China


PIANOPLYWOOD
WA BUINESS



TREE GRATE

PEBBLE STONE
HOW TO UES?

SIKLE SCD™
Art bamboo life




01

Accurately measure the size of the tree pool and the diameter of the tree, and then cut the tree grate according to the size.

02

Align the cut tree grate with the direction, and then fasten the T-shaped buckle on the side.





03

Anywhere can be cut at will according to needs.

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



TREE GRATE

TREE GRATE
PRODUCT APPLICATION

SIKLE SCD™
Art bamboo life



FLEXIBLE USE



COST-EFFECTIVE



SUPER HIGH STRENGTH



LONGER LIFE

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



TREE CLOTH

TREE CLOTH
PRODUCT DESCRIPTION

SIKLE SCD™
Art bamboo life

Heat preservation, moisturizing and breathable, anti-freeze and anti-sun, easy to operate and labor-saving, light, soft and beautiful.

The trunk antifreeze insulation belt is made of fiber material through needle punching. This kind of insulation belt is also called "needle punched cotton".

It has good heat preservation and moisture retention, and has the advantages of softness, light weight, and changeable color. Wrapping the trunk with this insulation tape can effectively prevent the trunk from being damaged in winter.

Frost damage can also prevent damage to the trunk and sun protection. This kind of thermal insulation belt is wrapped around the trunk with traditional straw ropes, straw, and sacks

Compared with it, the advantages are very obvious:

1. One person can complete the operation smoothly. It is 8 times faster than the traditional two-person winding grass rope, saving labor and speeding up.
2. The price of winding the same tree is 20% lower than that of straw rope, and it can be reused more than three times.
3. Light weight and good elasticity can reduce the load on the trunk.
4. Various colors, smooth surface, anti-aging, which is conducive to the display of landscape benefits;







TREE CLOTH
HOW TO UES?

Wrap up from the base of the trunk, generally 1.5 meters high. The general thickness is 2.5mm, the length is 18m, and the width is 12cm. Due to the stretchability of the cloth, there is a certain error in the size.

Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



TREE CLOTH

TREE CLOTH
PRODUCT APPLICATION

SIKLE SCD™
Art bamboo life



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



GROUND CLOTH

GROUND CLOTH
PRODUCT DESCRIPTION

SIKLE SCD™
Art bamboo life

Material: UV-resistant HDPE or pp flat wire braided
Colour: Black
Uses: For gardening flowers and plants, weed control, insect control, heat preservation, ventilation, water seepage, etc.
Features:

1. Prevent weeds on the ground.

Because the grass-proof cloth can prevent the direct sunlight on the ground (especially the black grass-proof cloth), and at the same time use the strong structure of the grass-proof cloth itself to prevent weeds from passing through the ground cloth, thus ensuring the inhibition of the growth of weeds by the grass-proof cloth effect.

2. Remove the accumulated water on the ground in time and keep the ground clean.


The drainage performance of the grass-proof cloth ensures the rapid discharge of ground water, and the pebble layer and medium sand layer under the grass-proof cloth can effectively inhibit the reverse seepage of soil particles, thus ensuring the cleanliness of the grass-proof cloth surface.

3. It is beneficial to the growth of plant roots and prevents root rot. This effect is also derived from the woven laying structure of the weed-proof cloth. This structure can ensure that the roots of the crops do not produce water, so that the air in the roots has a certain degree of fluidity, thereby preventing the roots from rotting.

Thickness: 80 grams (0.08kg/square meter)
90 grams (0.09kg/square meter)







Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133-1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133-1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



GROUND CLOTH

GROUND CLOTH
PRODUCT APPLICATION

SIKLE SCD™
Art bamboo life



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



TREE PLANTING BAG

TREE PLANTING BAG
PRODUCT DESCRIPTION


SIKLE SCD™
Art bamboo life

Material: non-woven fabric
Color: White/Black
Uses: Used for nursery stock ultivation/
tree transplantation.
Features: The tree planting bag is a tree planting bag made of needle-punched non-woven fabric. Stable quality, uniform fabric, anti-aging, fully permeable and breathable, good moisture retention and fat retention. (Especially in areas with dry sweat, little rain and sandy soil in the north, the survival rate of transplanting can be increased by more than several times.) At the same time, seedlings can be transplanted for many years without being affected by seasons. After transplanting, a large number of roots are preserved, and the return period is short.
SIZE:customized





INSTRUCTIONS:





Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD WA BUINESS



TREE PLANTING BAG

PEBBLE STONE
PRODUCT APPLICATION

SIKLE SCD™
Art bamboo life





Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



PRODUCT
TARRACOTA & CERAMIC



















Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD WA BUINESS



PEBBLE STONE

PEBBLE STONE
PRODUCT DESCRIPTION

Pebble stone are widely used in public buildings, villas, courtyard buildings, paved roads, park rockeries, bonsai filling
materials, garden art and other high-rise superstructures. It not only celebrates the ancient culture of the East, but also
reflects the classical and elegant Western style, returning to the basic art style.



Material:100% Natural Stone
Size:6-12mm,10-20,12-20mm, 20-30mm, 30-50mm, 60-90mm, 100-150mm, etc.
Color:white, black, yellow, etc.
Finished:Natural, Polished, Tumbled.
Usage:Driveway, Home Decorations, Garden, Landscaping, Decoration or Paving Material.
Packing:Packed in 20/25KG PVC bag then in Bulk woven bag(or wooden pallet)









Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD
WA BUINESS



PEBBLE STONE

PEBBLE STONE
PRODUCT STYLE



Dotted granite colored pebbles
Size:1-10CM



Pebbles in av variety
Size:8-15CM



pebbles in dolomite color(matte white)
Size:1-10CM



Bordeaux pebbles
size:4-6cm



A shiny black stone
size:1-8cm



Gray pebbles
size:1-10cm

Fax/Tel: +86-21-50792750
RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208
www.pianoplywood.com
Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China


PIANOPLYWOOD
WA BUINESS



PEBBLE STONE

PEBBLE STONE
PRODUCT APPLICATION







Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com


Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



WATER FOUNTAIN



FOUNTAIN-005

THREE TIERS MODERN FOUNTAIN

PRODUCT SIZE: 72×72×115 CM



FOUNTAIN-006

SPARKLING BOWL

PRODUCT SIZE: 41×36×116 CM



FOUNTAIN-007

CLASSICAL TIERED FOUNTAIN

PRODUCT SIZE: 78×78×157 CM



FOUNTAIN-008

COUNTRY WELL FOUNTAIN

PRODUCT SIZE: 132×68×130 CM

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



WATER FOUNTAIN



FOUNTAIN-009

MODERN FOUNTAIN

PRODUCT SIZE: 34.5×25×116 CM



FOUNTAIN-010

SLATE FOUNTAIN

PRODUCT SIZE: 110×75×193 CM



FOUNTAIN-011

CLASSICAL TIERED FOUNTAIN

PRODUCT SIZE: 50×38.5×100 CM



FOUNTAIN-012

CLASSICAL TIERED FOUNTAIN

PRODUCT SIZE: 46×32×100 CM

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



Pergola





If you are interested,
please feel free to contact us
using the details provided below

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS

Shanghai QinGe Ceramic & Building Co., Ltd

Interlocking Wood Flooring


Carbonized Interlocking Wood Flooring - Multiple designs



Material：Mongolian Pine
Olied Coating：No
Size：30*30*2.2cm
（Thickness：wood,1cm ； Plastic,around 1.2cm）
Design：4 slat
Weight：515g
processing：carbonized



Material:Mongolian Pine
Olied Coating:Yes
Size:30*30*2.2cm
(Thickness:wood,1cm ; Plastic,around 1.2cm)
Design:4 slat
Weight:515g
processing:carbonized



Material:Mongolian Pine
Olied Coating:Yes
Size:30*30*2.2cm
(Thickness:wood,1cm ; Plastic,around 1.2cm)
Design:6 slat
Weight:515g
processing:carbonized




Material:Mongolian Pine
Olied Coating:Yes
Size:30*30*2.2cm
(Thickness:wood,1cm ; Plastic,around 1.2cm)
Design:8 slat
Weight:515g
processing:carbonized



Material:Mongolian Pine
Olied Coating:Yes
Size:30*30*2.2cm
(Thickness:wood,1cm ; Plastic,around 1.2cm)
Design:12 slat
Weight:515g
processing:carbonized

Parquet Pressure Treated Timber Flooring





It can be replaced with interlocking flooring made of preservative-treated wood, with the same style as above.

Phone/WhatsApp/WeChat:+86-13311891208
Fax/Tel:+86-21-50792750
E-mail:RobertWang@pianoplywood.com
Website:www.pianoplywood.com
Add:Block E,Floor 4,NO.58,New Jinqiao RD,
Pudong District,Shanghai 201206,China

Pianoplywood


WA Buiness

Shanghai QinGe Ceramic & Building Co., Ltd


Interlocking Wood Flooring

More information











Premium Material
Uneasy to Deform & Bend








Strong Bearing Capacity




Easy to Clean
Clean stains with a rag, mop or just rinse with water,Wood Wax Oil Coating






User-friendly Design



Phone/WhatsApp/WeChat:+86-13311891208
Fax/Tel:+86-21-50792750
E-mail:RobertWang@pianoplywood.com
Website:www.pianoplywood.com
Add:Block E,Floor 4,NO.58,New Jinqiao RD,
Pudong District,Shanghai 201206,China

Pianoplywood

WA Buiness



SPC+LVT STONE PLASTIC FLOORING

The illustration is for display purposes only, and customized wood,color and size requests are acceptable.

SPC LOCK FLOOR

- **UV Curing Layer**

  The application of UV curing technology significantly enhances the floor's wear resistance and waterproof performance, thereby extending its service life.

- **Wear-resistant Layer**

  The high-strength wear-resistant layer effectively safeguards the floor's surface, minimizing daily wear and tear marks.

- **Color Film Layer**

  Incorporating 3D texture technology, it reproduces the authentic wooden texture for a realistic look.

- **LVT Top Layer**


  lightweight,resilient, results in a soft, quiet solution underfoot

- **SPC Stabilizing Base Layer**


  Constructs a balanced and robust foundational structure for the floor, significantly bolstering its compressive strength.

- **Attached Underlay(IXPE)**

  Cushioning, shockproof, soundproof, moisture-proof and soft-elastic



SPC THICKENED FLOOR WITH OUTSTANDING PERFORMANCE
12MM THICKNESS, UPGRADED TEXTURE



- **Thickened**

  12mm thickness, comfortable feeling underfoot

- **Reinforced**

  Scratch-resistant, impact-resistant, and wear-resistant enhancement

- **Scarce**

  Comprehensive upgrade of materials, scarce in the market

- **Durable**

  Lasts 15 years longer than ordinary flooring

- **Applicable**

  Suitable for underfloor heating, applicable to various types of flooring

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com


PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD

WA BUINESS



SPC+LVT FLOORING 12MM

The illustration is for display purposes only, and customized wood,color and size requests are acceptable.

BAMBOO-WOOD FIBER SPC FLOORING
12MM THICKENED SPC FLOORING

SIKLE SCD™
Art bamboo life

Waterproof and Mold-resistant

365-day water immersion guarantee: free replacement for deformation. Suitable for use in balconies, basements, kitchens, bathrooms, and other areas, ensuring no deformation or cracking.





Fire-resistant and Flame-retardant

Composed of stone powder and eco-friendly resin, effectively reducing the thermal conductivity of materials and inhibiting the ignition and combustion of objects.

Multiple types of splicing



5G Locking Joint Design

Features a simple one-step seamless connection, resulting in a flat and seamless surface. Highly durable and resistant to detachment, it offers quick and easy installation. Additionally, it prevents dirt and dust accumulation, facilitating routine maintenance and cleaning.



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block E,Floor 4,NO.58,New JinqiaoRD,Pudong District,Shanghai 201206,China

PIANOPLYWOOD


WA BUINESS

Work Gloves

NO.:QG090101
Function: Anti-slip, Anti-cut, Wear Resistant, Cold Resistant
Material: Abrasive Cow Split Leather







NO.:QG090102
Length:27MM or customed
Color: Customized Color
Material: Cow split leather, stripe cloth






Phone/WhatsApp/WeChat:+86-13311891208
Fax/Tel:+86-21-50792750
E-mail:RobertWang@pianoplywood.com
Website:www.pianoplywood.com
Add:Block E,Floor 4,NO.58,New Jinqiao RD,
Pudong District,Shanghai 201206,China

Pianoplywood

WA Buiness



WWW.PIANOPLYWOOD.COM

PianoPlywood

Fax/Tel: +86-21-50792750
Phone/WhatsApp/WeChat: +86-133 1189 1208
E-mail: RobertWang@pianoplywood.com
Add: Block E,Floor 4,NO.58,New Jinqiao RD,Pudong District,Shanghai 201206,China